

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	348/734.ccls. and (missing near3 memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/14 11:40
S1	170	(vcr or (video adj cassette adj recorder)) and (automatic\$4 with (download\$3 or receiv\$3) with code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 11:24
S2	15	(vcr or (video adj cassette adj recorder)) same (automatic\$4 with (download\$3 or receiv\$3) with code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 13:57
S3	3	(vcr or (video adj cassette adj recorder)) same (remote with popular with (download\$3 or receiv\$3) with code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 13:57
S4	4	(vcr or (video adj cassette adj recorder)) and (remote with popular with (download\$3 or receiv\$3) with code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 13:58
S5	4	(remote with popular with (download\$3 or receiv\$3) with code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 14:00
S6	23	(remote with cache with (download\$3 or receiv\$3) with code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 14:01
S7	67	(remote adj control\$4) same (stb or (set adj top adj box)) same ((download\$3 or receiv\$3) near3 code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 14:02

## EAST Search History

S8	11	((remote adj control\$4) same (stb or (set adj top adj box)) same ((download\$3 or receiv\$3) near3 code)) and @ad<"20001024"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 14:07
S9	0	((remote adj control\$4) same cache same servew same ((download\$3 or receiv\$3) near3 code)) and @ad<"20001024"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 14:07
S10	0	((remote adj control\$4) same cache same server same ((download\$3 or receiv\$3) near3 code)) and @ad<"20001024"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 14:08
S11	1	((remote adj control\$4) same cache same ((download\$3 or receiv\$3) near3 code)) and @ad<"20001024"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 14:08
S12	28	((remote adj control\$4) same server same ((download\$3 or receiv\$3) near3 code)) and @ad<"20001024"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 14:13
S13	0	((remote adj control\$4) same popular same server same ((download\$3 or receiv\$3) near3 code)) and @ad<"20001024"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 14:09
S14	10	((remote adj control\$4) same server same cach\$3 same code) and @ad<"20001024"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 15:00
S15	14	((download\$3 or receiv\$3) with code with (remote)) same (stb or stt or (set adj top adj box) or (set adj top adj terminal))) and @ad<"20001024"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 15:02

## EAST Search History

S16	2	("5692214").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 14:30
S17	20	(john adj quincy).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 14:30
S18	35	"725"/\$.ccls. and (automatic\$5 with remote with code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:12
S19	1	"725"/\$.ccls. and ((remote adj control\$3) with code with server with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:13
S20	13	"725"/\$.ccls. and ((remote adj control\$3) with code with server )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:16
S21	34	"725"/\$.ccls. and ((remote adj control\$3) with (retriev\$3 or download\$3) with server )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:18
S22	15	"725"/\$.ccls. and ((remote adj control\$3) with (db or database or (data adj base)) with code )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:33
S23	218	"725"/\$.ccls. and ((remote adj control\$3) with (db or database or (data adj base)) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:22

## EAST Search History

S24	203	S23 not S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:22
S25	59	S24 and @ad<"20001024"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:22
S26	5	"725"/\$.ccls. and ((remote adj control\$3) with automatic\$5 with (db or database or (data adj base)) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:23
S27	0	"725"/\$.ccls. and ((remote adj control\$3) with code with (missing near3 memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:33
S28	0	"725"/\$.ccls. and ((remote adj control\$3) with code with (local near3 memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:34
S29	0	"725"/\$.ccls. and ((remote adj control\$3) with code with (local near3 (db or database or (data adj base))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:34
S30	22	((remote adj control\$4) with code with (download\$3) with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:37
S31	172	((remote adj control\$4) with code with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:37

## EAST Search History

S32	14	((remote adj control\$4) with code with (download\$3) with (db or database or (data adj base)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:40
S33	13	((remote adj control\$4) with code with server with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:38
S34	187	((remote adj control\$4) with (download\$3) with (server or db or database or (data adj base)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:41
S35	6	((remote adj control\$4) with (download\$3) with (server or db or database or (data adj base))) and "725"/\$.ccls. and @ad<"20001024"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:41
S36	1075	348/734.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 16:41
S37	13	348/734.ccls. and (automatic\$4 near3 download\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 17:07
S38	0	348/734.ccls. and (missing near3 memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 17:07
S39	2	348/734.ccls. and (missing with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 17:07

## EAST Search History

S40	3	(remote adj control\$3) same (missing near3 memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 17:08
S41	67	(remote adj control\$3) same (automatic\$4 near3 download\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 17:09
S42	23	((remote adj control\$3) same (automatic\$4 near3 download\$3)) and @ad<"20001024"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 17:24
S43	5282	((remote adj control\$3) with (memory or ROM or RAM or PROM)) and @ad<"20001024"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 17:25
S44	4607	((remote adj control\$3) with (memory or ROM or RAM or PROM) with (code or control)) and @ad<"20001024"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 17:25
S45	587	((remote adj control\$3) with (ROM) with (code or control)) and @ad<"20001024"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 17:25
S46	670	((remote adj control\$3) with (ROM or (read adj only adj memory)) with (code or control)) and @ad<"20001024"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 17:26
S47	4	((remote adj control\$3) with download\$3 with (ROM or (read adj only adj memory)) with (code or control)) and @ad<"20001024"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 17:36

## EAST Search History

S48	200	"4959810"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 17:29
S49	2	"4959810".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 17:29
S50	996	((remote adj control\$3) with (program\$4 or learn\$3) with (memory or RAM or (random adj access adj memory) or ROM or (read adj only adj memory)) with (code or control)) and @ad<"20001024"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 17:37
S51	148	((remote adj control\$3) with (program\$4 or learn\$3) with (memory or RAM or (random adj access adj memory) or ROM or (read adj only adj memory)) with (code or control)) and @ad<"20001024" and ("725"/\$.ccls. or "348"/\$.ccls)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 17:38
S52	0	((remote adj control\$3) with missing with (program\$4 or learn\$3) with (memory or RAM or (random adj access adj memory) or ROM or (read adj only adj memory)) with (code or control)) and @ad<"20001024" and ("725"/\$.ccls. or "348"/\$.ccls)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 17:38
S53	4	((remote adj control\$3) with new with (program\$4 or learn\$3) with (memory or RAM or (random adj access adj memory) or ROM or (read adj only adj memory)) with (code or control)) and @ad<"20001024" and ("725"/\$.ccls. or "348"/\$.ccls)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/05 17:39
S54	2	("4959810").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 11:24